

**DIRECTIONS FOR USE:** It is a violation of federal law to use this product in a manner inconsistent with its labeling.

**RESTRICTIONS:** Use only in areas where there is little or no flow of air that could disperse the dust. Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep children and pets out of the area during application. Do not allow people or pets to enter the treated area until dusts have settled. Stand upwind while applying APICIDE into the entrance of the colony. Do not set any honey taken out of the wall after bees have been killed. Contents may settle during storage and shipping. Shake container to loosen dust before using.

**STORAGE AND DISPOSAL:** Do not contaminate water, food, or feed by storage or disposal. **Pesticide Storage:** Store only in original container in a cool, dry area, inaccessible to children and animals. **Pesticide Disposal:** Open dumping is prohibited. Wastes resulting from the use of this product must be disposed of on site at an approved waste disposal facility. **Container Disposal:** Do not reuse this container. Place in trash or other for recycling if available. If partly filled, call your local solid waste agency for disposal instructions. Never reuse unused product from any indoor or outdoor drain.

**ENVIRONMENTAL HAZARDS:** This product is extremely toxic to aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present or to terrestrial areas below the mean high water mark. Do not apply when weather conditions favor drift from area treated. Do not contaminate water by cleaning equipment or disposal of wastes. Do not contaminate water by cleaning equipment or disposal of wastes. Do not apply when weather conditions favor drift from area treated. Do not contaminate water by cleaning equipment or disposal of wastes. Do not apply when weather conditions favor drift from area treated. Do not contaminate water by cleaning equipment or disposal of wastes.

**APPLICATION DIRECTIONS:** To kill bees, wasps, yellow jackets, hornets, carpenter bees. This product will only kill pests present at the time of application. Pests must be directly contacted to be effective. Contact as many pests as possible. Non-residual treatment. Bees, wasps, yellow jackets, and hornets can attack swarms. When attempting to kill these pests, cover exposed body parts. (Continued on next page.)

**APPLICATION DIRECTIONS (continued from last page):** Wear heavy protective clothing including vinyl gloves, and long sleeve coveralls. Persons who are especially sensitive to insect stings should not apply this product. Treatment is best done at dusk when activity around the nest is at a minimum.

This product is for use only by commercial applicators and other trained personnel. It is for use in outdoor wall voids and in-ground/above ground nests to kill bees, wasps, yellow jackets, and hornets. This product may not be applied indoors.

**Application Equipment:** Use a duster, bellows, or bulb type duster. Transfer a sufficient amount of Apicide to the duster. When treatment is complete empty contents of duster back into the original Apicide container.

**Honey Bees:** Honey bees are beneficial insects and must not be indiscriminately killed. Application must only be done where there is an immediate threat to people and their pets. Consider contacting an experienced beekeeper to determine if a swarm or nest of honey bees can be saved and relocated. Locate the brood nest, or center of the colony by listening with ear to the outside wall or use another listening device to determine where the buzzing and clicking sounds are the loudest. Drill a 1/4" hole into that section of the wall from the outside and push the drill bit on through to clear a hole into the brood area. Insert the nozzle of the duster into the 1/4" hole and apply three to five ounces of dust into the brood area. Seal the drilled hole immediately after treatment with wood putty, plaster patch, or other impervious material. Allow 72 hours for Apicide to completely kill the colony. Once the bees are killed, the outside void in which they have been nesting should be opened and the comb removed. If not, the unattested honey may seep through the walls and attract other pests. This product may not be used indoors.

**Carpenter Bees:** Apply Apicide directly into the gallery entrances. Do not plug up these holes. Immediately allow the bees to pass through the entrance where they will contact the dust and distribute it into the galleries. Wait until all adult activity ceases or until darkness before sealing the hole(s). Use caulk or wood putty to seal openings and then paint, stain, or varnish wood surfaces. This product may not be used indoors.



# APICIDE®

**READ ENTIRE LABEL BEFORE EACH USE**

**Kills:**

**Wasps • Hornets • Honey Bees  
Carpenter Bees • Yellow Jackets**

**KEEP OUT OF THE REACH OF CHILDREN**

**CAUTION**

**Hazards to Humans and Domestic Animals**

**Harmful if swallowed. Harmful if absorbed through the skin. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.**

**PERSONAL PROTECTIVE EQUIPMENT (PPE):** Handlers using this product must wear long-sleeved shirt and long pants, shoes, socks, chemical-resistant gloves (such as nitrile or neoprene), and eye protection (such as goggles or glasses with side shields). Use a NIOSH-approved dust filtering respirator with NIOSH/MSHA approval number TC-20 or a NIOSH-approved respirator with any H, R, P, or HE filter, plus chemical resistant apron, if mixing, loading, or cleaning equipment or spills. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

**USER SAFETY EQUIPMENTS:** Wash thoroughly before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing/PPE immediately if pesticide gets inside. Wash the outside of gloves before removing. Remove clothing/PPE immediately after handling the product, and change into clean clothing.

**ACTIVE INGREDIENTS:** Carbaryl (1-naphthyl N-methylcarbamate)..... 5%

**INERT INGREDIENTS:**..... 95%

**TOTAL:**..... 100%

Manufactured by:  
**MYSTIC CHEMICAL PRODUCTS CO.**  
3951 West 105th Street  
Cleveland, Ohio 44111  
800-522-3245

NET WT. 6 LBS.



**Yellow Jackets, Wasps:** Locate the entrance hole used by these pests by observing their activity and flight patterns during the daytime. Treatment is best done at dusk or later when activity around the nest is at a minimum. Approach the opening to the nest cautiously. Use background lighting if possible. Do not hold a flashlight or spotlight in your hands. Lighting should be set and focused on the nest opening from a distance and off to the side. For wood nests on outside of buildings: Insert the nozzle of the duster and apply three to five ounces of Apicide into the opening. Allow 72 hours for Apicide to completely kill the colony. After all activity has ceased seal opening with wood putty, caulk, or other impervious material. This product may not be used indoors.

**Hornets:** Aerial Nests - can be in any color and are completely unmarked except for the entrance at the bottom. Locate the entrance hole used by these pests by observing their activity and flight patterns during the daytime. Treatment is best done at dusk or later when activity around the nest is at a minimum. Approach the opening to the nest cautiously. Use background lighting if possible. Do not hold a flashlight or spot light in your hands. Lighting should be set and focused on the nest opening from a distance and off to the side. Insert the nozzle of the duster into the opening at the bottom of the nest and injects dust into the opening. Continue dispersing until most of the Apicide is injected into the opening. Allow 72 hours for Apicide to completely kill the colony. After all activity has ceased the nest may be removed. Place nest in plastic garbage bag and discard in the trash. This product may not be used indoors.

**Notice:** Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the specific purposes referred to in the Directions for Use, subject to the inherent risks referred to above. To the extent consistent with applicable law, manufacturer makes no other express or implied warranty. To the extent consistent with applicable law, in no case shall manufacturer be liable for consequential, special, or indirect damages resulting from the use, handling, or application of this product. To the extent consistent with applicable law, buyer assumes all risks of use, storage, or handling of this material not in strict accordance with directions and cautions stated on this label.

FIRST AID	
This product is an N-methyl carbamate and is a cholinesterase inhibitor.	
<b>If Swallowed</b>	<ul style="list-style-type: none"><li>• Call poison control center or doctor immediately for treatment advice.</li><li>• Have person sip a glass of water if able to swallow.</li><li>• Do not induce vomiting unless told to do so by the poison control center or doctor.</li><li>• Do not give anything by mouth to an unconscious person.</li></ul>
<b>If in Eyes</b>	<ul style="list-style-type: none"><li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li><li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul>
<b>If on Skin or Clothing</b>	<ul style="list-style-type: none"><li>• Take off contaminated clothing.</li><li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul>
<b>NOTICE NUMBER</b>	
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-455-7275 for emergency medical treatment information.	
<b>NOTE TO PHYSICIAN:</b>	
Carbaryl is a N-methyl carbamate insecticide which is a cholinesterase inhibitor. Specific antidote consists of atropine. Narcotics and other sedatives should not be used. Drugs like 2-PAM (pyridine-2-aldoxime methiodide) are not recommended.	