



MAXFORCE® FC Professional Insect Control® Ant Killer Bait Gel

SECTION 1. CHEMICAL PRODUCT AND COMPANY INFORMATION

Product Name MAXFORCE® FC Professional Insect Control® Ant Killer Bait Gel
Chemical Name
Common Name
MSDS Number 1779
Chemical Family
Chemical Formulation
EPA Registration No. 432-1264

Bayer Environmental Science
 95 Chestnut Ridge Road
 Montvale, NJ 07645
 USA

For MEDICAL, TRANSPORTATION or Other EMERGENCY call 1-800-334-7577 24 hours/day
 For Product Information call 1-800-331-2867

SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Hazardous Component Name</u>	<u>CAS No.</u>	<u>Concentration % by Weight</u>	
		<u>Minimum</u>	<u>Maximum</u>
FIPRONIL	120068-37-3	0.0010	

SECTION 3. HAZARDS IDENTIFICATION

NOTE: Please refer to Section 11 for detailed toxicological information.

Emergency Overview Caution! Keep out of the reach of children. Hazards to humans and domestic animals. Keep exposed gel away from open food and food contact surfaces.

Odor Sweet

Appearance Amber clear to amber

Immediate Effects

Skin Avoid contact with skin or clothing. Minimally irritating to skin following prolonged direct contact. Not acutely toxic upon dermal exposure. Wash hands thoroughly with soap and water after handling.

Ingestion May be harmful if swallowed. Not acutely toxic upon oral exposure.

Material Safety Data Sheet

MAXFORCE® FC Professional Insect Control® Ant Killer Bait Gel

MSDS Number: 000000001779
MSDS Version 1.4

Medical Conditions Aggravated by Exposure No known health conditions are aggravated by exposure to this product.

SECTION 4. FIRST AID MEASURES

Eye	Rinse with copious amounts of water. Seek medical attention.
Skin	Rinse with copious amounts of water. Seek medical attention.
Ingestion	If swallowed, drink two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.
Note to Physician	There is no specific antidote. TREATMENT FOR FIPRONIL OVEREXPOSURE: In severe cases of overexposure by oral ingestion, lethargy, muscle tremors, and in extreme cases, possibly convulsions may occur. Recommendations for treatment are based on anticonvulsant therapy as routinely administered to humans. Phenobarbital or diazepam may be useful in controlling convulsions induced by Fipronil. Even when symptoms of Fipronil intoxication are rapidly reversed by treatment, the treatment must be continued for several days, gradually decreasing the dose of anticonvulsant based on the patient's clinical response. This is necessary due to the slow elimination of the compound.

SECTION 5. FIRE FIGHTING MEASURES

Flash Point	94 °C / 201 °F Method: Tagliabue Closed Cup
Explosiveness	Non flammable or explosive.
Fire and Explosion Hazards	Under fire conditions, toxic, corrosive fumes are emitted due to the active ingredient fipronil.
Suitable Extinguishing Media	Water, Foam, Carbon dioxide (CO2), Dry chemical

SECTION 6. ACCIDENTAL RELEASE MEASURES

General and Disposal	Wear appropriate gear for the situation. See Personal Protection information in Section 8. Non-hazardous waste. Sweep up spilled material. Place in a container for
-----------------------------	--

Material Safety Data Sheet

MAXFORCE® FC Professional Insect Control® Ant Killer Bait Gel

MSDS Number: 000000001779
MSDS Version 1.4

disposal. Dispose in accordance with all local, state/provincial and federal regulations.

Land Spill or Leaks If the active ingredient fipronil is spilled on the ground, the affected area should be scraped clean and placed in an appropriate container for disposal. Decontaminate tools and equipment following cleanup.

SECTION 7. HANDLING AND STORAGE

Handling Procedures Keep out of the reach of children.

Fipronil: Avoid contact with skin, eyes and clothing. Avoid breathing vapors and mists. Do not ingest.

Storing Procedures Fipronil: Do not contaminate water, food, or feed by storage or disposal. Store unused boxes out of reach of children and animals. Store away from heat or sunlight.

Work/Hygienic Procedures Do not store, use, and/or consume foods, beverages, tobacco products, or cosmetics in areas where this material is stored.

Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

Wash skin promptly to remove accidental contact the active ingredient, fipronil.

Remove and wash contaminated clothing before re-use. Then wash body thoroughly with soap and water and put on clean clothing.

Wash clothing with detergent and hot water before reusing. Contaminated clothing should not be taken home or laundered with other clothing.

Min/Max Storage Temperatures Do not transport or store above 38 °C

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls Use general ventilation to minimize exposure.

Body Protection Applicators and other handlers must wear: Long-sleeved shirt and long pants
Shoes plus socks
Chemical-resistant gloves (Neoprene, Nitrile, PVC)
All pesticide handlers (mixers, loaders, and applicators) must wear a long-sleeved shirt and long pants, socks, shoes, and chemical-resistant gloves.

Consideration must be given both to durability as well as permeation resistance.

General Protection These recommendations provide general guidance for handling this product.

Material Safety Data Sheet

MAXFORCE® FC Professional Insect Control® Ant Killer Bait Gel

MSDS Number: 000000001779
MSDS Version 1.4

Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. Waste resulting from these procedures should be handled in accordance with Section 13: Disposal Considerations.

Assistance with selection, use and maintenance of worker protection equipment is generally available from equipment manufacturers.

Exposure Limits

None Established

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Amber clear to amber
Odor	Sweet
pH	Not applicable
Specific Gravity	1.27
Melting/Freezing Point	60 °C

SECTION 10. STABILITY AND REACTIVITY

Chemical Stability	Fipronil is stable under normal handling and storage conditions.
Conditions to Avoid	Product will stain porous surfaces. Direct sunlight Exposure to extreme heat
Incompatibility	Strong bases Strong acids Strong oxidizing agents
Hazardous Products of Decomposition	Decomposition Type: thermal Hydrogen fluoride Oxides of nitrogen Oxides of sulfur Carbon oxides Hydrochloric acid

Material Safety Data Sheet

MAXFORCE® FC Professional Insect Control® Ant Killer Bait Gel

MSDS Number: 000000001779
MSDS Version 1.4

**Hazardous Polymerization
(Conditions to avoid)** Will not occur

SECTION 11. TOXICOLOGICAL INFORMATION

Acute Oral Toxicity Data for 0.25% Formulation of Fipronil
Rat: LD50: > 5,000 mg/kg

Acute Dermal Toxicity Data for 0.25% Formulation of Fipronil
LD50: > 2,000 mg/kg

Acute Inhalation Toxicity Data for 0.25% Formulation of Fipronil
Rat: LC50: > 2.9 mg/l

Acute Respiratory Irritation:
No test data found for product.

Skin Irritation Data for 0.25% Formulation of Fipronil
Rabbit: Slightly irritating.

Eye Irritation Data for 0.25% Formulation of Fipronil
Rabbit: Non-irritating.

Sensitization Data for 0.25% Formulation of Fipronil
Guinea pig: Non-sensitizing

Assessment Carcinogenicity

ACGIH

None

NTP

None

IARC

None

OSHA

None

SECTION 12. ECOLOGICAL INFORMATION

Acute and Prolonged Toxicity to Fish The following data is based on the technical grade active ingredient(s) (TGAI).
Rainbow trout
LC50: 248 ug/l
Exposure Time: 96 h
Mean concentration. Flow through.

The following data is based on the technical grade active ingredient(s) (TGAI).
Bluegill sunfish

Material Safety Data Sheet

MAXFORCE[®] FC Professional Insect Control[®] Ant Killer Bait Gel

MSDS Number: 000000001779
MSDS Version 1.4

LC50: 85 ug/l
Exposure Time: 96 h
Mean concentration. Flow through.

Acute Toxicity to Aquatic Invertebrates The following data is based on the technical grade active ingredient(s) (TGAI).
Daphnia
EC50: 248 ug/l
Exposure Limit: 48 h
Mean concentration. Flow through.

Toxicity Other Non Mammal Terr. Species The following data is based on the technical grade active ingredient(s) (TGAI).
Mallard duck
LC50: > 5,000 mg/kg
Exposure Time: 8 d
Dietary concentrations. Mean concentration.

The following data is based on the technical grade active ingredient(s) (TGAI).
Bobwhite quail
LC50: 48 mg/kg
Exposure Time: 8 d
Dietary concentrations. Mean concentration.

Environmental Precautions This pesticide is toxic to birds, fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning equipment or disposal of waste. Do not contaminate water when disposing of equipment washwaters. Contain runoff to prevent entry into sewers or waterways.

Material Safety Data Sheet

MAXFORCE® FC Professional Insect Control® Ant Killer Bait Gel

MSDS Number: 000000001779
MSDS Version 1.4

Additional Environmental Information

For chemical fate data call the product information phone number listed in Section 1.

SECTION 13. DISPOSAL CONSIDERATIONS

General Disposal Guidance

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law.

Chemical additions, processing or otherwise altering this material may make the waste management information presented in this MSDS incomplete, inaccurate or otherwise inappropriate. Please be advised that state and local requirements for waste disposal may be more restrictive or otherwise different from federal laws and regulations. Consult state and local regulations regarding the proper disposal of this material.

EPA Hazardous Waste - No

Container Disposal

Wrap used prefilled reservoir in several layers of newspaper and discard in trash.

RCRA Classification

Not Regulated under this Statute

SECTION 14. TRANSPORT INFORMATION

US DOT Hazard Class: Not restricted

US DOT Proper Shipping Name: Insecticide, non-toxic, solid - not restricted

SECTION 15. REGULATORY INFORMATION

EPA Registration No. 432-1264

US Federal Regulations

TSCA list

None

TSCA 12b export notification

None

SARA Title III - section 302 - notification and information

None

SARA Title III - section 313 - toxic chemical release reporting

None

US States Regulatory Reporting

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

Material Safety Data Sheet

MAXFORCE® FC Professional Insect Control® Ant Killer Bait Gel

MSDS Number: 000000001779
MSDS Version 1.4

This product does not contain any substances known to the State of California to cause reproductive harm.

US State right-to-know ingredients

None

Canadian Regulations

Canadian Domestic Substance List

None

Environmental

CERCLA

None

Clean Water Section 307 Priority Pollutants

None

Safe Drinking Water Act Maximum Contaminant Levels

None

International Regulations

EU Classification

None

European Inventory of Existing Commercial Substances (EINECS)

None

SECTION 16. OTHER INFORMATION

NFPA	Health	Flammability	Reactivity	Others
	0	1	0	

REASON FOR ISSUE: To remove other ingredients in Section 2; include NFPA ratings in Section 16.

Approval Date: 10/31/2003

This information is provided in good faith but without express or implied warranty. Buyer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer AG. Bayer Environmental Science